

2_Changelog 1.6.x

Date	Jira	Type	Component	Command	Results
25.01.2023	PAK1 314-2422	Bug	Human Task	Configure Table	<ul style="list-style-type: none"> • Radiobuttons are deselectable • Grouping different radiobuttons • Amounts with comma separation
25.01.2023	PAK1 314-2466	Bug	Human Task	Multiple Choice	<ul style="list-style-type: none"> • Radiobuttons can be switched without deselecting the current value before
25.01.2023	PAK1 314-2470	Task	Generic Commands	Find File Get Most Recent File	<ul style="list-style-type: none"> • The "find file" command is able to <ul style="list-style-type: none"> ◦ check different file types (for example file, directory, link) ◦ search in folders and subfolders • The new "get most recent file" command is able to <ul style="list-style-type: none"> ◦ search for newest or oldest files
25.01.2023	PAK1 314-2194	Task	Generic Commands	Audio File Player	<ul style="list-style-type: none"> • The new "Audio File Player" command is able to <ul style="list-style-type: none"> ◦ play a sound file (for example MP3 or OGG files like WAV)
01.02.2023	PAK1 314-1919	Task	Adapter MS Graph	Download File	<ul style="list-style-type: none"> • The new "download file" command is able to <ul style="list-style-type: none"> ◦ download a file from a sharepoint
08.02.2023	PAK1 314-2494	Bug	Adapter MS Office	Find First Cell by Value Find All Cell by Value	<ul style="list-style-type: none"> • Both commands return 1,1 etc. and not 0,0 for the first row in the most left column
08.02.2023	PAK1 314-2503	Bug	Core	Write String to Cell	<ul style="list-style-type: none"> • Interpolations are mapped as JSON array instead of string • Use Case: Jira Workflow - writtenValue
08.02.2023	PAK1 314-2173	Bug	Base		<ul style="list-style-type: none"> • Interpolation is now possible on paths
08.02.2023	PAK1 314-2369	Task	Base		<ul style="list-style-type: none"> • Added LiteServices to Command Meta • Adapted logic inside NodeController to fetch only credentials based on specific commands
08.02.2023	PAK1 314-2495	Task	Generic Commands	Counter	<ul style="list-style-type: none"> • Default input variables are reworked (less mandatory fields)
08.02.2023	PAK1 314-2499	Task	Workflow Executor		<ul style="list-style-type: none"> • Workflow executor has a resizeable JSON viewer now • Settings are refreshed after restart of application
08.02.2023	PAK1 314-2490	Task	Workflow Push Pull		<ul style="list-style-type: none"> • New modul with a new component that is able to push workflows to a given MavenRepository
08.02.2023	PAK1 314-2507	Task	Adapter Integrity	IntegrityGetMksItemById	<ul style="list-style-type: none"> • ShowHistory is able to access a special MKS Field History
15.02.2023	PAK1 314-2558	Bug	Workflow Executor		<ul style="list-style-type: none"> • Command is allowed to use interpolation as interpolation could be outside the pattern match of the field • Interpolation is always allowed now
15.02.2023	PAK1 314-2256	Task	Core		<ul style="list-style-type: none"> • For all possible errors which can occur inside the core a ExceptionEnum (with unique errorcodes) will be created
15.02.2023	PAK1 314-2468	Task	Workflow Executor	GetIssue	<ul style="list-style-type: none"> • If there is a deprecation of the Jira Command "get Issue" in the newest version then the filtering must look if a version higher is deprecated as well - if yes, it is deprecated too

15.02.2 023	PAK1 314- 2506	Task	Adapter Integrity	Integrity Generate Checkpoint Integrity Edit Task Field Integrity Model Diff PACES Get Referencing SWC	<ul style="list-style-type: none"> The new "Integrity Generate Checkpoint" command is able to <ul style="list-style-type: none"> generate a checkpoint for a given project The "Integrity Edit Task Field" command is able to <ul style="list-style-type: none"> to edit a field that accepts a source link The "Integrity Model Diff" command is able to <ul style="list-style-type: none"> Generify FE Review Diff Command by adding a "modelSubFolder" Input instead of statically pointing to "04_FI" The "PACES Get Referencing SWC" command is able to <ul style="list-style-type: none"> Add "Line" Part of the SWC Version to the respective output and SoftwareComponent.java class
15.02.2 023	PAK1 314- 2564	Task	Editor		<ul style="list-style-type: none"> Change Command Repo dialog to "PAK Repositories" <ul style="list-style-type: none"> the Repository table needs a new Column "Modelrepo" (which is a checkbox) if activated the Workflows will also be loaded from there in the Background a flag must be added/set to repolInfo
22.02.2 023	PAK1 314- 2431	Bug	Workflow Executor		<ul style="list-style-type: none"> JSON Viewer deletes spaces from string arrays
22.02.2 023	PAK1 314- 2508	Bug	Core		<ul style="list-style-type: none"> Parallel converging gateways always need a master to begin with
22.02.2 023	PAK1 314- 2293	Task	Adapter Jira		<ul style="list-style-type: none"> Possibility to extend content of an array field when issues are synchronized
22.02.2 023	PAK1 314- 2467	Task	Workflow Executor		<ul style="list-style-type: none"> The deprecation reasoning is shown for deprecated single commands
22.02.2 023	PAK1 314- 2560	Task	Workflow Executor		<ul style="list-style-type: none"> A search function is added to the JSON Viewer (EditTextAreaDialog)
01.03.2 023	PAK1 314- 2632	Task	Workflow Executor	Configurable Table	<ul style="list-style-type: none"> The "Configurable Table" command is able to <ul style="list-style-type: none"> receive pre-defined values for the table
01.03.2 023	PAK1 314- 2578	Bug	Core		<ul style="list-style-type: none"> No more errors within the interpolation where an array is null
01.03.2 023	PAK1 314- 2642	Bug	Workflow Executor		<ul style="list-style-type: none"> Solution that the restart button works, also when double clicking the command reopens
01.03.2 023	PAK1 314- 2602	Task	Generic Commands	Get Random Number	<ul style="list-style-type: none"> The new "Get Random Number" command is able to <ul style="list-style-type: none"> create a random number
01.03.2 023	PAK1 314- 2445	Task	Generic Commands	List Iterator	<ul style="list-style-type: none"> The new "List Iterator" command is able to <ul style="list-style-type: none"> to remove an item from a collection and writing the item and collection with the item removed back (antifunction of Add Item to Collection)
01.03.2 023	PAK1 314- 2519	Task	Generic Commands	Format Date	<ul style="list-style-type: none"> The new "GetFormattedDateString" command is able to <ul style="list-style-type: none"> to format any date input in any date format an time zones
01.03.2 023	PAK1 314- 2521	Task	Generic Commands	Audio File Player	<ul style="list-style-type: none"> The new "Audio File Player" command is able to <ul style="list-style-type: none"> fetch sound from remote or local places via an uri allow to share this command, without sharing the soundfile
01.03.2 023	PAK1 314- 2559	Task	Editor		<ul style="list-style-type: none"> After deprecation of old interpolations there are old workflows which need to be migrated Now there is a check which can replace the old with the new interpolation
08.03.2 023	PAK1 314- 2633	Task	Generic Commands	Read Json File	<ul style="list-style-type: none"> The "Read Json File" command is able to <ul style="list-style-type: none"> return readed json file as json string
08.03.2 023	PAK1 314- 2576	Bug	Human Tasks		<ul style="list-style-type: none"> It is now possible to use a string which contains a " " within a Json File

08.03.2 023	PAK1 314- 2681	Bug	Workflow Executor		<ul style="list-style-type: none"> • If there is an error called "malformed \uxxx encoding" now the user receives a more specific warning.
08.03.2 023	PAK1 314- 2207	Task	Workflow Executor		<ul style="list-style-type: none"> • Search for commands within specific version numbers is possible
08.03.2 023	PAK1 314- 2447	Task	Generic Commands	Add Item To Map	<ul style="list-style-type: none"> • The command "Add Item To Map" is able to <ul style="list-style-type: none"> ◦ use only one item as input instead of MergeMaps (many items)
08.03.2 023	PAK1 314- 2596	Task	Generic Commands	ShuffleList	<ul style="list-style-type: none"> • The new command "Shuffle List" is able to <ul style="list-style-type: none"> ◦ shuffle items within one input list ◦ set a seed to create the same random list
08.03.2 023	PAK1 314- 2599	Task	Generic Commands	Merge Collections	<ul style="list-style-type: none"> • The command "Merge Collections" is able to <ul style="list-style-type: none"> ◦ merge two collections together ◦ [1,3,5] and [2,4,6] -> [1,3,5,2,4,6]
08.03.2 023	PAK1 314- 1789	Task	Workflow Executor		<ul style="list-style-type: none"> • Workflow executor is able to pull workflows from a "PAK Repository" • Changed dialog "Command Repository" to "PAK Repository" • Added new possibility "Open new Workflow from Server"
08.03.2 023	PAK1 314- 2547	Task	Adapter S3 Amazon	Upload Files to Bucket S3 Adapter	<ul style="list-style-type: none"> • The command "upload files to bucket" is able to <ul style="list-style-type: none"> ◦ set a boolean field as false whether a file with the same path already exists on the bucket
15.03.2 023	PAK1 314- 2662	Task	Workflow Executor		<ul style="list-style-type: none"> • Show symbols for workflow state • Specific delete button for workflows
15.03.2 023	PAK1 314- 2687	Bug	Workflow Executor		<ul style="list-style-type: none"> • Hiding the progress bar if workflow is interrupted
15.03.2 023	PAK1 314- 2709	Task	Generic Commands	Convert to Absolute Path	<ul style="list-style-type: none"> • The new command "Convert to Absolute Path" is able to <ul style="list-style-type: none"> ◦ get the absolute path of a given relative path
15.03.2 023	PAK1 314- 2707	Bug	Workflow Executor		<ul style="list-style-type: none"> • Resolve error when opening recent workflow
15.03.2 023	PAK1 314- 2708	Bug	Generic Commands		<ul style="list-style-type: none"> • JSON file is able to be forwarded to a human task even if an \r or \n is included
15.03.2 023	PAK1 314- 2589	Task	Adapter MS Office	Delete Row Delete Column	<ul style="list-style-type: none"> • The new "Delete Row" & "Delete Column" commands are able to <ul style="list-style-type: none"> ◦ delete rows and columns within the wanted range in an Excel file
15.03.2 023	PAK1 314- 2597	Task	Generic Commands	Multiple Choice	<ul style="list-style-type: none"> • The command "Multiple Choice" is able to <ul style="list-style-type: none"> ◦ use preselected values when starting a command due to a new optional field
15.03.2 023	PAK1 314- 2685	Task	Workflow Executor	Format Date	<ul style="list-style-type: none"> • Docu dialog can be scrolled
15.03.2 023	PAK1 314- 2697	Task	Adapter S3 Amazon	Copy Bucket Files	<ul style="list-style-type: none"> • Add Copy Bucket Files Command
22.03.2 023	PAK1 314- 1995	Task	Generic Human Tasks	Create Form From Template	<ul style="list-style-type: none"> • The "Create Form From Template" command is able to <ul style="list-style-type: none"> ◦ handle inputs as lists as list of predefined jsons which represent a label in the form
22.03.2 023	PAK1 314- 1647	Task	Workflow Executor		<ul style="list-style-type: none"> • Now the user will be asked which repository should be initialized (e.g. Nexus)
22.03.2 023	PAK1 314- 2501	Task	Workflow	ApplyGradleP akBase	<ul style="list-style-type: none"> • Now the user will be asked if he wants to checkout/clone the master branch. • If the user chooses "yes" then he is asked whereto, if "no" then the user must provide a path where the pak base folder is located

29.03.2023	PAK1 314-2541	Task	Generic Commands	Integer Calculator	<ul style="list-style-type: none"> The "Integer Calculator" command is able <ul style="list-style-type: none"> to use an integer calculation instead of double values to support all four base operations +, -, *, / also support % (modulo)
29.03.2023	PAK1 314-2569	Task	Editor		<ul style="list-style-type: none"> Integration of pull mechanism into the editor using the model collectors from pak-extra:pak-mavencollector and pak-extra:pak-localcollector Added options to view/edit models present in a repository (e.g. folder, nexus..)
29.03.2023	PAK1 314-2725	Task	Editor		<ul style="list-style-type: none"> More specific color coding for inputs and outputs as in the consumes and produces tab
05.04.2023	PAK1 314-2789	Task	Workflow Executor		<ul style="list-style-type: none"> App commons have methods to filter for modelmetas to only allow PAK bpmns which were written through the PAK Editor Necessary for push pull mechanism
05.04.2023	PAK1 314-2770	Bug	Workflow Executor		<ul style="list-style-type: none"> For the initial start dialog the password "eye" is existing (password can be shown while filling it)
05.04.2023	PAK1 314-2785	Bug	Generic Commands		<ul style="list-style-type: none"> Commands are able to handle the time format "CET" Dependency due to German summertime is solved
05.04.2023	PAK1 314-2659	Task	Generic Commands	Sort List	<ul style="list-style-type: none"> Unsorted list (list to sort) will be sorted ascending or descending (sorting order)
05.04.2023	PAK1 314-2660	Task	Generic Commands		<ul style="list-style-type: none"> The new "Sort Object List By Property" command is able <ul style="list-style-type: none"> to works on the compareTo method and sorts a list by their values. But the user can specify a property to sort the json objects by. This property will be given in json pathing style.
12.04.2023	PAK1 314-2762	Bug	Workflow Executor		<ul style="list-style-type: none"> Open button is now working when selecting a BPMN for the first time in the executor The BPMN don't have to be double clicked in order to be opened
12.04.2023	PAK1 314-2756	Bug	Adapter MS Office		<ul style="list-style-type: none"> The delete rows / columns are able to delete cells in a table
12.04.2023	PAK1 314-2768	Task	Workflow Executor		<ul style="list-style-type: none"> A new boolean flag (isSuggestion) was added to the CommandMapping class The behaviour of the executor was changed that it allows suggestions when dealing with allowed values
19.04.2023	PAK1 314-2817	Bug	Workflow Executor		<ul style="list-style-type: none"> After installing the current Executor a window pop up was showing that the license expired on 30.03.2023 even if the licence is still valid until 05.12.23 GlobalConstraintsSingleton.java had a hardcoded explorer license key that expired on 30.03.2023
19.04.2023	PAK1 314-2131	Task	Base		<ul style="list-style-type: none"> The default impl uses Jackson - this information is now hidden As core shouldn't tell what the impl looks like but only give the option to use it Also a new datatransformer mock inside the testutils was created which can be used to define tests with a datatransformer
19.04.2023	PAK1 314-2577	Task	Generic Commands		<ul style="list-style-type: none"> There were json commands that still apply to the old json handling. Json needed to be handled in String form, etc.. This result in a incompatibility with the jsonfication of our framework, as these now save any json string into an escaped form
19.04.2023	PAK1 314-2585	Task	Generic Commands		<ul style="list-style-type: none"> Added volume control to AudioFilePlayerCommand

19.04.2 023	PAK1 314- 2780	Task	Generic Commands		<ul style="list-style-type: none"> • A link will be provided which leads to download a file and then it gets downloaded to the choosed location. • DownloadFile Command now works the following way: <ul style="list-style-type: none"> ◦ linkToFile can be anything that either starts a download or shows any kind of html. If the command is executed on "https://pak.asap.de" the html code will be downloaded. If the link leads to a file, the file will be downloaded. ◦ The filename can be defined in pathToSaveTo or be left out. In the second case the filename of linkToFile is used.
19.04.2 023	PAK1 314- 2818	Task	Generic Commands		<ul style="list-style-type: none"> • In the workflow docu for sorting was missing that only a list with same type elements are able to be sorted
19.04.2 023	PAK1 314- 2702	Task	Editor		<ul style="list-style-type: none"> • Now it is possible to enable a repo and additionally activate if it is a workflow repository. • Instead of this the user should able to choose what type of repository the given repository is. Its either only commands, only models or both.
19.04.2 023	PAK1 314- 2831	Task	Docu / Website		<ul style="list-style-type: none"> • The jenkins pipeline was adjusted so that docu on a release branch is pushed to wp with a tag which represents the given release version
19.04.2 023	PAK1 314- 2820	Bug	Adapter Integrity		<ul style="list-style-type: none"> • When a source link points to a checkpoint on any devpath, most commands working with that source link show unexpected behaviour (either they threw an exception or they did not point to the correct checkpoint) which was solved
26.04.2 023	PAK1 314- 2808	Bug	Adapter GIT		<ul style="list-style-type: none"> • The Git clone command now can be used as the actual git clone • Folder will be specified and INSIDE that folder a new folder with the name of the specified git repository is created -> nothing existing will be deleted
26.04.2 023	PAK1 314- 2758	Task	Workflow Executor		<ul style="list-style-type: none"> • The editor already has an option to clear the indices which was added in the executor as well